

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : High Temp DL400 - Translucent
 Other means of identification : DAYHTMAM05

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For use in Photocentric Daylight Printers

1.3. Supplier

Supplier

Photocentric Ltd
 Titan House
 20 Titan Drive
 Peterborough, PE1 5XN - United Kingdom
 T +44 (0) 1733 349937 (UK Office hours only)
info@photocentric.co.uk - <https://photocentricgroup.com/>

Distributor

Photocentric Inc
 855 N. 107th Ave
 Suite A110
 Avondale, Arizona 85323 - United States
 T 006235813220 x1009 (USA Office hours only)
customerservice@photocentricusa.com - <https://photocentricgroup.com/>

1.4. Emergency telephone number

Emergency number : +44 (0) 1733 349937 (UK Office hours only)
 006235813220 x1009 (USA Office hours only)

Transport Emergencies for US & CANADA: For Hazardous Materials [or Dangerous Goods]
 Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 1-800-424-9300 / +1 703-527-3887 CCN 992854

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Hazardous to the aquatic environment – Chronic Hazard Category 2	H411	Toxic to aquatic life with long lasting effects

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS US) :

P261 - Avoid breathing fume, mist, spray, vapors.
 P272 - Contaminated work clothing must not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective clothing, eye protection, face protection.
 P302+P352 - If on skin: Wash with plenty of Gently wash with plenty of soap and water..
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a poison center or doctor.
 P321 - Specific treatment (see supplemental first aid instruction on this label).
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Conc. (% w/w)	GHS US classification
Proprietary (Triacrylate)	≥ 15 – < 70	Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Proprietary (Aliphatic Urethane Oligomer)	≥ 10 – < 15	Aquatic Chronic 2, H411
Proprietary (Photoinitiator)	≥ 1 – < 3	Aquatic Chronic 1, H410

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Call a poison center/doctor/physician if you feel unwell. Never give anything by mouth to an unconscious person.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. Rinse mouth out with water. If swallowed, seek medical advice immediately and show this container or label. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Irritation: severely irritant to eyes. Harmful in contact with skin. Harmful if swallowed.
- Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). May cause respiratory irritation.
- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Risk of serious damage to eyes. Serious damage to eyes.
- Symptoms/effects after ingestion : Harmful if swallowed. May cause irritation to the digestive tract.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

- Fire hazard : No fire hazard.
- Explosion hazard : No direct explosion hazard.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

- Precautionary measures fire : Keep cool. Protect from sunlight.
- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. Fight fire from safe distance and protected location. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : High temperature decomposition products are harmful by inhalation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. For further information refer to section 8: "Exposure controls/personal protection". Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Protective gloves. Safety glasses. Self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

- For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect spillage. Stop leak, if possible without risk.
- Methods for cleaning up : Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Ensure good ventilation of the work station. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Protective clothing (with elasticated cuffs and closed neck). Do not breathe dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.
- Handling temperature : < 50 °C

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.
Incompatible materials : Direct sunlight.
Storage temperature : < 50 °C
Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal. Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

High Temp DL400 - Translucent
No additional information available
Proprietary (Photoinitiator) (162881-26-7)
No additional information available
Proprietary (Triacrylate) (40220-08-4)
No additional information available
Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)
No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment. Gloves. Safety glasses.

Materials for protective clothing:

Wear suitable protective clothing and gloves. Nitrile rubber. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

Hand protection:

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training. Nitrile-rubber protective gloves

Eye protection:

Safety glasses (EN 166). Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact. Wear suitable protective clothing. Protective clothing (EN 14605 or EN 13034)

Respiratory protection:


In case of inadequate ventilation wear respiratory protection. Wear suitable respiratory protection (conforming to EN140 with Type A filter or better) and gloves (type EN374) if regular skin contact likely.

Personal protective equipment symbol(s):

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Thermal hazard protection:

Typical measures to maintain workplace concentrations of airborne VOCs and particulates below respective OELs: e.g. thermal wet scrubber – gas removal and/or air filtration – particle removal and/or thermal oxidation and/or vapour recovery – adsorption.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: dark orange
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: < 23 °C
Boiling point	: > 100 °C The product has not been tested. The statements are based on the properties of the individual components.
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: 0.013 @25 °C. The product has not been tested.,The statements are based on the properties of the individual components.
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
No data availableViscosity, kinematic	: No data available
Viscosity, dynamic	: 600 – 700 mPa·s @25°C
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified

Proprietary (Photoinitiator) (162881-26-7)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral))
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: other:92/69/EEC

Proprietary (Triacrylate) (40220-08-4)	
LD50 oral rat	No mortality/Rat: 2.000 mg/kg (Method: OECD Test Guideline 423)

Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: no indication of skin irritation up to the relevant limit dose level

Skin corrosion/irritation : Not classified
 Serious eye damage/irritation : Causes serious eye damage.
 Respiratory or skin sensitization : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)	
NOAEL (chronic,oral,animal/male,2 years)	100 – 300 mg/kg body weight Combined 28-Day Repeated

Reproductive toxicity : Not classified

Proprietary (Triacrylate) (40220-08-4)	
NOAEL (animal/male, F0/P)	50 mg/kg body weight NOAEL (Parental toxicity) (Method: OECD Test Guideline 422, Rat, By oral route)
NOAEL (animal/female, F0/P)	> 200 mg/kg body weight NOAEL (fertility) (Method: OECD Test Guideline 422, Rat, By oral route)
NOAEL (animal/male, F1)	> 200 mg/kg body weight NOAEL (developmental toxicity) (Method: OECD Test Guideline 422, Rat, By oral route)

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Proprietary (Photoinitiator) (162881-26-7)	
NOAEL (oral,rat,90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: other:92/69/eec

Proprietary (Triacrylate) (40220-08-4)	
LOAEL (oral,rat,90 days)	100 mg/kg bodyweight/day Local Irritation (Method: OECD Test Guideline 422, Rat, 28 d)

Aspiration hazard : Not classified
 Viscosity, kinematic : No data available
 Potential Adverse human health effects and symptoms : Irritation: severely irritant to eyes. Harmful in contact with skin. Harmful if swallowed.
 Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). May cause respiratory irritation.
 Symptoms/effects after skin contact : May cause an allergic skin reaction.
 Symptoms/effects after eye contact : Risk of serious damage to eyes. Serious damage to eyes.
 Symptoms/effects after ingestion : Harmful if swallowed. May cause irritation to the digestive tract.

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Proprietary (Photoinitiator) (162881-26-7)	
LC50 - Fish [1]	> 0.09 mg/l Test organisms (species): other:Zebra Fish Brachydanio rerio
EC50 - Crustacea [1]	> 1.175 mg/l Test organisms (species): other aquatic crustacea:Daphnia Magna
Proprietary (Triacrylate) (40220-08-4)	
ErC50 algae	25.7 mg/l 72 h (Pseudokirchneriella subcapitata (green algae)) :(Method: OECD Test Guideline 201)
NOEC (chronic)	≥ 100 mg/l NOEC, 14 d (Activated sludge)(Respiration inhibition)
Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)	
LC50 - Fish [1]	10.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 1.2 mg/l Test organisms (species): Daphnia magna
NOEC chronic algae	0.21 mg/l NOEC Green Algae (Desmodesmus subspicatus), 72hr, Growth Inhibition (OECD 201)

12.2. Persistence and degradability

Proprietary (Triacrylate) (40220-08-4)	
Biodegradation	14.5 – 19.7 % after 28 d (Method: OECD Test Guideline 301 F)
Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)	
Biodegradation	22 % Ready biodegradability 28 days

12.3. Bioaccumulative potential

Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)	
Partition coefficient n-octanol/water (Log Pow)	3.39 @ 20 °C OECD 117

12.4. Mobility in soil

Proprietary (Triacrylate) (40220-08-4)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.79 (Method: calculated) Absorption / desorption:

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Avoid release to the environment. Comply with applicable regulations for solid waste disposal. Dispose in a safe manner in accordance with local/national regulations. Disposal must be done according to official regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk. Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Dipropylene Glycol Diacrylate ; Tris(2-hydroxyethyl) Isocyanurate Triacrylate), 9, III, MARINE POLLUTANT

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

Marine pollutant : Yes



Air transport

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Dipropylene Glycol Diacrylate ; Tris(2-hydroxyethyl) Isocyanurate Triacrylate), 9, III

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Class (IATA) : 9 - Miscellaneous Dangerous Substances and Articles

Packing group (IATA) : III - Low danger

SECTION 15: Regulatory information

15.1. US Federal regulations

High Temp DL400 - Translucent

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Proprietary (Photoinitiator)	CAS-No. 162881-26-7	≥ 1 – < 3%
Proprietary (Triacrylate)	CAS-No. 40220-08-4	≥ 15 – < 70%
Proprietary (Aliphatic Urethane Oligomer)	CAS-No. 72869-86-4	≥ 10 – < 15%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Proprietary (Photoinitiator) (162881-26-7)

EPA TSCA Regulatory Flag : PMN - PMN - indicates a commenced PMN substance.

Proprietary (Triacrylate) (40220-08-4)

EPA TSCA Regulatory Flag : PMN - PMN - indicates a commenced PMN substance.

15.2. International regulations

CANADA

Proprietary (Photoinitiator) (162881-26-7)

Listed on the Canadian DSL (Domestic Substances List)

Proprietary (Triacrylate) (40220-08-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Proprietary (Aliphatic Urethane Oligomer) (72869-86-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

High Temp DL400 - Translucent

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

High Temp DL400 - Translucent

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Photoinitiator) (162881-26-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Proprietary (Triacrylate) (40220-08-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 04/08/2024

Full text of hazard classes and H-statements:

H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012) No CAS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.