

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distributor

Photocentric Inc.

855 N. 107th Ave

Issue date: 12/15/2020 Revision date: 05/02/2023 Supersedes: 12/15/2020

SECTION 1: Identification

Identification

Product form : Mixture

Trade name : Magna Draft - Green Other means of identification : MAGDRBU05

Recommended use and restrictions on use

Use of the substance/mixture : For use in Photocentric Daylight Printers

1.3. **Supplier**

Supplier Photocentric Ltd Titan House 20 Titan Drive Peterborough, PE1 5XN - United Kingdom T +44 (0) 1733 349937 (UK Office hours only)

info@photocentric.co.uk - https://photocentricgroup.com/

Suite A110 Avondale, Arizona 85323 - United States

T 006235813220 x1009 (USA Office hours only) customerservice@photocentricusa.com - https://photocentricgroup.com/

Version: 1.1

Emergency telephone number

Emergency number : +44 (0) 1733 349937 (UK Office hours only)

006235813220 x1009 (USA Office hours only)

Transport Emergencies for US & CANADA: For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 1-800-424-9300 / +1 703-

527-3887 CCN 992854

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Skin sensitization. H317 May cause an allergic skin reaction

Category 1

Hazardous to the aquatic H400 Very toxic to aquatic life

environment - Acute

Hazard Category 1

Hazardous to the aquatic H411

environment - Chronic

Hazard Category 2

Full text of H statements : see section 16

Toxic to aquatic life with long lasting effects

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

: H317 - May cause an allergic skin reaction Hazard statements (GHS US)

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects : P261 - Avoid breathing fume, mist, spray, vapors.

Precautionary statements (GHS US) P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment. P280 - Wear eye protection, protective clothing.

P302+P352 - If on skin: Wash with plenty of soap and water.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

10/24/2024 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Conc. (% w/w)	GHS US classification
Proprietary (Aliphatic urethane methacrylate)	≥ 70	Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Proprietary (Dimethacrylate)	≥ 20 - < 25	Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if victim is not

breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin

by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May cause respiratory irritation.

cause respiratory irritation.

Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

10/24/2024 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific hazards arising from the chemical

Fire hazard : No fire hazard.

: No direct explosion hazard. **Explosion hazard**

Hazardous decomposition products in case of

: Carbon dioxide. Carbon monoxide. Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

Other information High temperature decomposition products are harmful by inhalation. On exposure to high

temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb General measures spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures See section 8 of the SDS for more information on personal protective equipment. Only qualified

personnel equipped with suitable protective equipment may intervene. Avoid breathing

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended

personal protective equipment. Use self-contained breathing apparatus and chemically protective clothing. For further information refer to section 8: "Exposure controls/personal

protection".

: Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or **Emergency procedures**

any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so.

Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

Methods and material for containment and cleaning up

For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent

safe disposal. Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams. Collect spillage. Stop leak, if possible without risk.

Methods for cleaning up Take up liquid spill into absorbent material. This material and its container must be disposed of

in a safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin, eyes and clothing. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal

protective equipment. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Protective clothing (with elasticated cuffs and closed neck). Do not breathe vapors. Obtain special instructions before use. Do not handle until all safety precautions have

been read and understood.

Handling temperature < 50 °C

Hygiene measures Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when

using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight.

10/24/2024 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage temperature : < 25 °C

Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Magna Draft - Green

No additional information available

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)

No additional information available

Proprietary (Dimethacrylate) (109-16-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Materials for protective clothing:

Wear suitable protective clothing and gloves. Nitrile rubber. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

Hand protection:

Protective gloves. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training. Nitrile-rubber protective gloves

Eye protection:

Safety glasses. Safety glasses (EN 166). Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing. Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact. Protective clothing (EN 14605 or EN 13034)

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection. Wear suitable respiratory protection (conforming to EN140 with Type A filter or better) and gloves (type EN374) if regular skin contact likely.

Personal protective equipment symbol(s):









Thermal hazard protection:

Typical measures to maintain workplace concentrations of airborne VOCs and particulates below respective OELs: e.g. thermal wet scrubber – gas removal and/or air filtration – particle removal and/or thermal oxidation and/or vapour recovery – adsorption.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

clear Yellow dark orange

10/24/2024 EN (English US) 4/8

Safety Data Sheet

Flammability

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure

Mixture contains one or more component(s) which have the following odour:

Characteristics

: No data available

Odor threshold : No data available
pH : No data available
Melting point : No tapplicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available

Density : 1.16 g/ml Solubility : Insoluble.

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
No data availableViscosity, kinematic : 836.207 mm²/s

Viscosity, dynamic : 970 (800 − 1000) mPa·s @25°C

Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bw/day

10/24/2024 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<u> </u>	
Proprietary (Dimethacrylate) (109-16-0)	
LD50 oral rat	10837 mg/kg Source: NLM,THOMSON
ATE US (oral)	10837 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Proprietary (Dimethacrylate) (109-16-0)	
NOAEL (acute,oral,animal/male)	≥ mg/kg body weight
STOT-repeated exposure	: Not classified
Proprietary (Dimethacrylate) (109-16-0)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified
Viscosity, kinematic	: 836.207 mm²/s
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. May cause respiratory irritation.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)	
LC50 - Fish [1]	≥ 10.1 mg/l Zebra Fish (Brachydanio rerio)
EC50 - Crustacea [1]	> 1200 μg/l Test organisms (species): Daphnia magna
NOEC chronic algae	0.21 mg/l Green Algae (Desmodesmus subspicatus)
Proprietary (Dimethacrylate) (109-16-0)	
Proprietary (Dimethacrylate) (109-16-0)	
Proprietary (Dimethacrylate) (109-16-0) LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)	
Persistence and degradability	Not established.
Biodegradation	22 % CO2 Evolution: Modified Sturm (OECD 301B)

12.3. Bioaccumulative potential

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)	
Partition coefficient n-octanol/water (Log Pow)	3.39
Bioaccumulative potential	No bioaccumulation data available.
Proprietary (Dimethacrylate) (109-16-0)	
Partition coefficient n-octanol/water (Log Pow)	1.88 Source: ChemlDplus

12.4. Mobility in soil

No additional information available

10/24/2024 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Avoid release to the environment. Comply with applicable regulations for solid waste disposal.

Dispose in a safe manner in accordance with local/national regulations. Disposal must be done

according to official regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk. Consult an expert on

waste disposal or treatment. Do not re-use empty containers.

Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DI-HEMA

TRIMETHYLHEXYL DICARBAMATE), 9, III, MARINE POLLUTANT

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L
Marine pollutant : Yes



Air transport

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (DI-HEMA TRIMETHYLHEXYL

DICARBAMATE), 9, III

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Class (IATA) : 9 - Miscellaneous Dangerous Substances and Articles

Packing group (IATA) : III - Low danger

10/24/2024 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Magna Draft - Green

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Proprietary (Aliphatic urethane methacrylate)	CAS-No. 72869-86-4	≥ 70%
Proprietary (Dimethacrylate)	CAS-No. 109-16-0	≥ 20 - < 25%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Proprietary (Dimethacrylate) (109-16-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Magna Draft - Green

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Proprietary (Aliphatic urethane methacrylate) (72869-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Proprietary (Dimethacrylate) (109-16-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/02/2023

Full text of hazard classes and H-statements:

H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS US (GHS HazCom 2012) No CAS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/24/2024 EN (English US) 8/8