

# Photocentric Magna Dental Model - White

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 15/12/2020 Revision date: 17/04/2025 Supersedes: 10/11/2024 Version: 3.0

## **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Trade name Magna Dental Model - White

#### 1.2. Other means of identification

Other means of identification : MAGDTWH02, MAGDTWH05

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : For use in Photocentric Daylight Printers

#### 1.4. Supplier's details

Manufacturer Distributor Photocentric Ltd Photocentric Inc Titan House 855 N. 107th Ave 20 Titan Drive Suite A110

Peterborough, PE1 5XN, Cambridgeshire Avondale, Arizona, AZ, 85323

**United States** United Kingdom

T +44 (0) 1733 349937 (UK Office hours only) T 006235813220 x1009 (USA Office hours only)

info@photocentric.co.uk - https://photocentricgroup.com/ <u>customerservice@photocentricusa.com</u> - <u>https://photocentricgroup.com/</u>

#### 1.5. Emergency phone number

: +44 (0) 1733 349937 (UK Office hours only) 006235813220 **Emergency number** 

x1009 (USA Office hours only)

Transport Emergencies for US & CANADA: For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 1-800-424-9300 / +1 703-527-

3887 CCN 992854

## **SECTION 2 Hazard Identification**

#### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin sensitization, Category 1 H317 May cause an allergic skin reaction. Carcinogenicity, Category 2 H351 Suspected of causing cancer.

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Toxic to aquatic life with long lasting effects.

Full text of H statements : see section 16

#### 2.2. Label elements

## **GHS US labeling**

Hazard pictograms (GHS US)







Signal word (GHS US) Warning

Hazard statements (GHS US) H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer.

H411 - Toxic to aquatic life with long lasting effects

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing mist, spray, vapours.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, protective gloves, eye protection.

P302+P352 - If on skin: Wash with plenty of soap and water.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste, hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

#### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

Other hazards which do not result in classification : None under normal conditions.

#### 2.5. Unknown acute toxicity

No additional information available

## **SECTION 3 Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Conc. (% w/w)	GHS US classification
Prorietary (Aliphatic Urethane Oligomer)	≥ 70	Aquatic Chronic 2, H411
Proprietary (Dimethacrylate)	≥ 20 - < 25	Aquatic Chronic 3, H412
Proprietary (Diacrylate)	≥1-<3	Aquatic Chronic 1, H410
Proprietary (Pigment)	< 1	Carc. 2, H351 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

## **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : IF exposed or concerned: Get r

: IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Give oxygen or artificial respiration if necessary.

17/04/2025 (Revision date) EN (English US) 2/13

## Safety Data Sheet

First-aid measures after eye contact

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact

: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse eyes with water as a precaution.

First-aid measures after ingestion If swallowed, seek medical advice immediately and show this container or label. If you feel

unwell, seek medical advice. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting/risk of damage to lungs exceeds poisoning

risk. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects : May be harmful if inhaled. May be harmful in contact with skin.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : May be harmful in contact with skin. May cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause slight irritation.

: May be harmful if swallowed. May cause irritation to the digestive tract. Symptoms/effects after ingestion

## 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Explosion hazard No direct explosion hazard. Reactivity in case of fire : Product is not explosive. Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Store in tightly closed, properly ventilated containers away from heat, sparks, open flame. Keep

cool. Protect from sunlight. Keep container closed when not in use.

Firefighting instructions : Prevent fire-fighting water from entering environment. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

Other information : High temperature decomposition products are harmful by inhalation.

### **SECTION 6 Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. May be harmful

> to aquatic organisms, to flora, to soil organisms. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-

damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

3/13 17/04/2025 (Revision date) EN (English US)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Ventilate spillage area. See section 8 of the SDS for more information on personal protective

equipment. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Prevent from entering sewers, basements and workpits, or any place where its accumulation can

be dangerous. Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment. Do not allow to enter drains or water courses.

#### 6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up with inert absorbent material (for example

sand, sawdust, a universal binder, silica gel). Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

## **SECTION 7 Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Avoid contact with skin, eyes and clothing. Protective clothing (with elasticated cuffs and closed neck).

Do not breathe vapors.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

Handling temperature : 10 - 50 °C

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat. Ensure adequate ventilation, especially in

confined areas. Store in a well-ventilated place. Keep container tightly closed.

Storage conditions : Store locked up. Keep container tightly closed. Keep cool. Protect from sunlight.

: Store in a well-ventilated place.

Incompatible materials : Direct sunlight. Storage temperature : < 25 °C

Specific end uses : The identified uses for this product are detailed in section 1.2.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal. Store always product in container of same material as original

container.

## **SECTION 8 Exposure controls/personal protection**

### 8.1. Control parameters

Storage area

17/04/2025 (Revision date) EN (English US) 4/13

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Pigment)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m³ (Finescale particles. R - Repirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL TWA	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropiate engineering controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity

of any potential exposure. Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Nitrile-rubber protective gloves. Safety glasses with side shields. Use footwear with anti-static or anti-spark features. Wear protective clothing. Wear protective gloves.

#### Materials for protective clothing:

Wear suitable protective clothing and gloves. Nitrile rubber. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

#### Hand protection:

Wear protective gloves. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training. Nitrile-rubber protective gloves

### Eye protection:

Safety glasses (EN 166). Chemical goggles or safety glasses. Safety glasses

#### Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact. Wear suitable protective clothing. Protective clothing (EN 14605 or EN 13034). Use footwear with anti-static or anti-spark features

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear suitable respiratory protection (conforming to EN140 with Type A filter or better) and gloves (type EN374) if regular skin contact likely.

## Personal protective equipment symbol(s):









#### Thermal hazard protection:

Typical measures to maintain workplace concentrations of airborne VOCs and particulates below respective OELs: e.g. thermal wet scrubber – gas removal and/or air filtration – particle removal and/or thermal oxidation and/or vapour recovery – adsorption.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Other information:

Do not eat, drink or smoke when using this product.

## **SECTION 9 Physical and chemical properties**

#### 9.1. Basic physical and chemical properties

Physical state : Liquid Appearance : Liquid. Color white characteristic Odor Odor threshold No data available рΗ No data available Melting point Not applicable Freezing point No data available

Boiling point : > 140 The product has not been tested. The statements are based on the properties of the

individual components.

Flash point : No data available Flammability (solid, gas) : No data available

Vapor pressure : > 0.00000232 @25 °C. The product has not been tested. The statements are based on the

properties of the individual components.

Relative vapor density at 20°C : No data available Relative density : No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic No data available **Explosion limits** No data available Particle characteristics No data available

## **Proprietary (Pigment)**

Particle characteristics No data available

## **Proprietary (Diacrylate)**

Particle characteristics No data available

#### **Prorietary (Aliphatic Urethane Oligomer)**

Particle characteristics No data available

#### **Proprietary (Dimethacrylate)**

Particle characteristics No data available

## 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## **SECTION 10 Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.2. Chemical stability

Stable under normal conditions of use.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11 Toxicological information**

11.1. Likel	y routes of	f exposure
-------------	-------------	------------

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Proprietary (Pigment)	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 3.43 mg/l Source: ECHA
Proprietary (Diacrylate)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Prorietary (Aliphatic Urethane Oligor	ner)
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: no indication of skin irritation up to the relevant limit dose level
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h
Proprietary (Dimethacrylate)	
LD50 oral rat	10837 mg/kg Source: NLM,THOMSON
LD50 dermal	> 2000 mg/kg Dermal, Mouse
ATE US (oral)	10837 mg/kg body weight
Oldin annualing/ingitation	Net along it al

Skin corrosion/irritation : Not classified

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Pigment) pH 7  Proprietary (Dimethacrylate) pH 6-8 (concentrated solution)  Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group 2B - Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years) 100 - 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (dermal,rat/rabbit,28 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)			
Proprietary (Dimethacrylate) pH   6 - 8 (concentrated solution)  Serious eye damage/irritation : Not classified  Proprietary (Pigment) pH   7  Proprietary (Dimethacrylate) pH   6 - 8 (concentrated solution)  Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Not classified  Carcinogenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group   28 - Possibly carcinogenic to humans  Prorietary (Aliphatic Urothane Oligomer)  NOAEL (chronic oral.animal/male 2 years)   100 - 300 mg/kg body weight Combined 28-Day Repeated  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral.rat.90 days)   1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method 8.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral.rat.28 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral.rat.29 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral.rat.29 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral.rat.20 days)   1000 mg/kg bodyweight/animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic   No data available  Proprietary (Pigment)  Viscosity, kinematic   No data available  Proprietary (Diacrylate)  Viscosity, kinematic   No data available	Proprietary (Pigment)		
Serious eye damage/irritation   Not classified	pH 7	,	
Serious eye damage/irritation : Not classified  Proprietary (Pigment) pH 7  Proprietary (Dimethacrylate) pH 6-8 (concentrated solution)  Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group 2B-Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years) 100 – 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  STOT-peated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (cral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (cral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (cral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (cral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (cral,rat,90 days) 1000 mg/kg	Proprietary (Dimethacrylate)		
Proprietary (Pigment) pH	pH 6	6 – 8 (concentrated solution)	
Proprietary (Dimethacrylate) pH	Serious eye damage/irritation : No	ot classified	
Proprietary (Dimethacrylate) pH   6 - 8 (concentrated solution)  Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group   2B - Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male, 2 years)   100 - 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  STOT-repeated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (cral,rat,90 days)   1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days)   1000 mg/kg bodyweight/day Dermal, Mouse  No data available  Proprietary (Pigment)  Viscosity, kinematic   No data available  Proprietary (Pigment)  Viscosity, kinematic   No data available  Proprietary (Diacrylate)  Viscosity, kinematic   No data available	Proprietary (Pigment)		
pH 6-8 (concentrated solution)  Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group 2B - Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years) 100 - 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  STOT-greated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days) 1000 mg/kg bodyweight/day Dermal, Mouse  NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Streening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic No data available  Proprietary (Pigment)  Viscosity, kinematic No data available  Proprietary (Diacrylate)  Viscosity, kinematic No data available	pH 7	,	
Respiratory or skin sensitization : May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group   2B - Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years)   100 – 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-repeated exposure : Not classified  STOT-repeated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral,rat,90 days)   1000 mg/kg body weight Animal: rat, Guideline: DECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days)   1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days)   1000 mg/kg bodyweight/day Dermal, Mouse  NOAEL (oral,rat,90 days)   1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic   No data available  Proprietary (Pigment)  Viscosity, kinematic   No data available  Proprietary (Diacrylate)  Viscosity, kinematic   No data available	Proprietary (Dimethacrylate)		
Germ cell mutagenicity : Not classified Carcinogenicity : Suspected of causing cancer.  Proprietary (Pigment)  IARC group	pH 6	6 – 8 (concentrated solution)	
Proprietary (Pigment)  IARC group 2B - Possibly carcinogenic to humans  Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years) 100 – 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat  NOAEL (dermal,rat/rabbit,28 days) 1000 mg/kg bodyweight/day Dermal, Mouse  NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic No data available  Proprietary (Pigment)  Viscosity, kinematic No data available  Proprietary (Diacrylate)  Viscosity, kinematic No data available			
ARC group   2B - Possibly carcinogenic to humans	Carcinogenicity : Su	uspected of causing cancer.	
Prorietary (Aliphatic Urethane Oligomer)  NOAEL (chronic,oral,animal/male,2 years)  100 – 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity:  Not classified:  Not classified:  Not classified:  Not classified:  Not classified:  Not classified:  NoAEL (oral,rat,90 days):  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate):  NOAEL (oral,rat,28 days):  NOAEL (oral,rat,28 days):  NOAEL (oral,rat,90 days):  1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days):  1000 mg/kg bodyweight/day Dermal, Mouse:  NOAEL (oral,rat,90 days):  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test):  Aspiration hazard:  Not classified:  Magna Dental Model - White:  Viscosity, kinematic:  No data available:  Proprietary (Pigment):  Viscosity, kinematic:  No data available:  Proprietary (Diacrylate):  Viscosity, kinematic:  No data available:	Proprietary (Pigment)		
NOAEL (chronic,oral,animal/male,2 years)  100 – 300 mg/kg body weight Combined 28-Day Repeated  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Proprietary (Diacrylate)  NOAEL (oral,rat,90 days)  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days)  1000 mg/kg bodyweight/day Oral, Rat  NOAEL (oral,rat,90 days)  1000 mg/kg bodyweight/day Dermal, Mouse  NOAEL (oral,rat,90 days)  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic   No data available  Proprietary (Pigment)  Viscosity, kinematic   No data available  Proprietary (Diacrylate)  Viscosity, kinematic   No data available	IARC group 2	B - Possibly carcinogenic to humans	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Proprietary (Diacrylate) NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate) NOAEL (oral,rat,28 days) 1000 mg/kg bodyweight/day Oral, Rat NOAEL (dermal,rat/rabbit,28 days) 1000 mg/kg bodyweight/day Dermal, Mouse NOAEL (oral,rat,90 days) 1000 mg/kg bodyweight/day Dermal, Mouse NOAEL (oral,rat,90 days) 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Aspiration hazard : Not classified  Magna Dental Model - White Viscosity, kinematic No data available  Proprietary (Pigment) Viscosity, kinematic No data available  Proprietary (Diacrylate) Viscosity, kinematic No data available	Prorietary (Aliphatic Urethane Oligomer)		
STOT-single exposure : Not classified : NoAEL (oral,rat,90 days)	NOAEL (chronic,oral,animal/male,2 years)	00 – 300 mg/kg body weight Combined 28-Day Repeated	
NOAEL (oral,rat,90 days)  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))  Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days)  1000 mg/kg bodyweight/day Oral, Rat  NOAEL (dermal,rat/rabbit,28 days)  1000 mg/kg bodyweight/day Dermal, Mouse  NOAEL (oral,rat,90 days)  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard  Not classified  Magna Dental Model - White  Viscosity, kinematic  No data available  Proprietary (Pigment)  Viscosity, kinematic  No data available  Proprietary (Diacrylate)  Viscosity, kinematic  No data available	STOT-single exposure : No	ot classified	
Proprietary (Dimethacrylate)  NOAEL (oral,rat,28 days)  NOAEL (oral,rat/abbit,28 days)  NOAEL (oral,rat,90 days)  Aspiration hazard  Not classified  Magna Dental Model - White  Viscosity, kinematic  No data available  Proprietary (Pigment)  Viscosity, kinematic  No data available	Proprietary (Diacrylate)		
NOAEL (oral,rat,28 days)  1000 mg/kg bodyweight/day Oral, Rat  1000 mg/kg bodyweight/day Dermal, Mouse  1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard: Not classified  Magna Dental Model - White  Viscosity, kinematic: No data available  Proprietary (Pigment)  Viscosity, kinematic: No data available  Proprietary (Diacrylate)  Viscosity, kinematic: No data available			
NOAEL (dermal,rat/rabbit,28 days)  1000 mg/kg bodyweight/day Dermal, Mouse  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard:  Not classified  Magna Dental Model - White  Viscosity, kinematic:  No data available  Proprietary (Pigment)  Viscosity, kinematic:  No data available  Proprietary (Diacrylate)  Viscosity, kinematic:  No data available	Proprietary (Dimethacrylate)		
NOAEL (oral,rat,90 days)  1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard: Not classified  Magna Dental Model - White  Viscosity, kinematic: No data available  Proprietary (Pigment)  Viscosity, kinematic: No data available  Proprietary (Diacrylate)  Viscosity, kinematic: No data available	NOAEL (oral,rat,28 days)	000 mg/kg bodyweight/day Oral, Rat	
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  Aspiration hazard : Not classified  Magna Dental Model - White  Viscosity, kinematic No data available  Proprietary (Pigment)  Viscosity, kinematic No data available  Proprietary (Diacrylate)  Viscosity, kinematic No data available	NOAEL (dermal,rat/rabbit,28 days)	000 mg/kg bodyweight/day Dermal, Mouse	
Magna Dental Model - White  Viscosity, kinematic  Proprietary (Pigment)  Viscosity, kinematic  No data available  Proprietary (Diacrylate)  Viscosity, kinematic  No data available			
Viscosity, kinematic No data available  Proprietary (Pigment)  Viscosity, kinematic No data available  Proprietary (Diacrylate)  Viscosity, kinematic No data available	Aspiration hazard : No	ot classified	
Proprietary (Pigment)  Viscosity, kinematic  Proprietary (Diacrylate)  Viscosity, kinematic  No data available  No data available	Magna Dental Model - White		
Viscosity, kinematic No data available  Proprietary (Diacrylate)  Viscosity, kinematic No data available	Viscosity, kinematic	No data available	
Proprietary (Diacrylate) Viscosity, kinematic  No data available	Proprietary (Pigment)		
Viscosity, kinematic No data available	Viscosity, kinematic	No data available	
	Proprietary (Diacrylate)		
Prorietary (Aliphatic Urethane Oligomer)	Viscosity, kinematic	No data available	
	Prorietary (Aliphatic Urethane Oligomer)		
Viscosity, kinematic 7017.544 – 8771.93 mm²/s	Viscosity, kinematic 7	017.544 – 8771.93 mm²/s	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Pigment)	
Proprietary (Dimethacrylate)	
Viscosity, kinematic	4.579 – 27.473 mm²/s
Symptoms/effects	: May be harmful if inhaled. May be harmful in contact with skin.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May be harmful in contact with skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause irritation to the digestive tract.

## **SECTION 12 Ecological information**

## 12.1. Ecotoxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

acute)

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Proprietary (Pigment)	
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka
EC50 - Crustacea [1]	19.3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	27.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Proprietary (Diacrylate)	
EC50 - Crustacea [1]	2.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.71 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Prorietary (Aliphatic Urethane Oligomer)	
LC50 - Fish [1]	10.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 1.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 0.68 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC chronic algae	0.21 mg/l NOEC Green Algae (Desmodesmus subspicatus), 72hr, Growth Inhibition (OECD 201)
Proprietary (Dimethacrylate)	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
	· ·

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Dimethacrylate)	
LOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

## 12.2. Persistence and degradability

Magna Dental Model - White		
Persistence and degradability	Not rapidly degradable	
Proprietary (Pigment)		
Persistence and degradability	Not rapidly degradable	
Proprietary (Diacrylate)		
Persistence and degradability	Not rapidly degradable	
Prorietary (Aliphatic Urethane Oligomer)		
Persistence and degradability	Not rapidly degradable	
Biodegradation	22 % Ready biodegradability 28 days	
Proprietary (Dimethacrylate)		
Persistence and degradability	Not rapidly degradable	

### 12.3. Bioaccumulative potential

Prorietary (Aliphatic Urethane Oligomer)	
Partition coefficient n-octanol/water (Log Pow)	3.39 @ 20 °C OECD 117
Proprietary (Dimethacrylate)	
Partition coefficient n-octanol/water (Log Pow)	1.88 Source: ChemIDplus

## 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

.

Fluorinated greenhouse gases : No

## **SECTION 13 Disposal considerations**

Regional waste regulation

Example 1 Disposal must be done according to official regulations.

Example 2 Disposal must be done according to local regulation. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Example 2 Disposal must be done according to official regulations.

Example 2 Disposal must be done according to official regulations.

Example 3 Disposal must be done according to official regulations.

Example 3 Disposal must be done according to official regulations. a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Disposal must be done according to official regulations.

Example 4 Disposal must be done according to official regulations.

Example 4 Disposal must be done according to official regulations.

Example 4 Disposal must be done according to official regulations.

Example 5 Disposal must be done according to official regulations.

Example 6 Disposal must be done according to official regulations.

Example 6 Disposal must be done according to official regulations.

Example 6 Disposal must be done according to official regulations.

Example 7 Disposal must be done according to official regulations.

Ecological waste information : Avoid release to the environment.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 14 Transport information**

In accordance with DOT / TDG / IMDG / IATA

#### 14.1. UN number

 UN-No.(DOT)
 : Not regulated

 UN-No. (TDG)
 : Not regulated

 UN-No. (IMDG)
 : 3082

 UN-No. (IATA)
 : 3082

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

#### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

**IMDG** 


Transport hazard class(es) (IMDG) : 9

Hazard labels (IMDG) : 9



### IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



## 14.4. Packing group

Packing group (DOT) : Not regulated Packing group (TDG) : Not regulated

Packing group (IMDG) : III
Packing group (IATA) : III

#### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

#### DOT

Not regulated

#### **TDG**

Not regulated

#### **IMDG**

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG)

Packing instructions (IMDG) : LP01, P001 : PP1 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE

: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS EmS-No. (Spillage)

Stowage category (IMDG) : A

#### **IATA**

Special provision (IATA) : A97, A158, A197, A215

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y964 PCA limited quantity max net quantity (IATA) 30kgG PCA packing instructions (IATA) 964 PCA max net quantity (IATA) 4501 CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L ERG code (IATA) : 9L

## **SECTION 15 Regulatory information**

## 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

## **Proprietary (Pigment)**

Listed on the Canadian DSL (Domestic Substances List)

## **Proprietary (Diacrylate)**

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Prorietary (Aliphatic Urethane Oligomer)**

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **Proprietary (Dimethacrylate)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

## **Proprietary (Pigment)**

Listed on IARC (International Agency for Research on Cancer)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### **Proprietary (Diacrylate)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### **Proprietary (Dimethacrylate)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 17/04/2025 Issue date : 15/12/2020

Full text of hazard classes and H-statements		
H317	May cause an allergic skin reaction	
H351	Suspected of causing cancer.	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS US (GHS HazCom 2012) No CAS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.